

Slide 1

Administrivia

- Reminder: Homework 2 due today.
- Homework 3 on the Web. Due Monday after break. (Accepted without penalty through Tuesday at 11:59pm.)
- I will put a sample solution for Homework 1 on the Web soon (since I seem to be behind with grading, again).

Slide 2

Minute Essay From Last Lecture

- (What was interesting/difficult about Homework 1?)
- Okay, it wasn't very interesting, but you have to start somewhere with a new language? and yes getting used to a new syntax can be troublesome.
- One person asked about initial values for variables. There are some situations in which C automatically assigns an initial value, but local variables in a function isn't one of them.

Loops in C — Recap

Slide 3

- C has several constructs for repeating execution of a statement or block of statements — `while`, `do while`, and `for` loops. The first two will likely be familiar to Python and Scala programmers; the third, not so much.
- What C does not have, and Python and Scala do, is nice constructs for iterating through collections — in keeping with its being lower-level, maybe.

Arrays in C — Recap

Slide 4

- Again in contrast to higher-level languages such as Python and Scala, C has only one construct for representing collections of similar data, namely the array.
- In some ways C's arrays are fairly similar to arrays in Python and Scala — basic idea of a collection of elements of the same type, fixed size, indexed starting at 0.
- A key difference is that with C's arrays the underlying implementation shows through more clearly — what you get is a sequence in memory of storage cells, all of the same size, with little in the way of safety checks that would keep you within the allowed bounds.

Functions in C

Slide 5

- Functions in C are conceptually much like functions in other procedural programming languages. (Functions in object-oriented languages are similar but have some extra capabilities.)
I.e., a function has a *name*, *parameters*, a *return type*, and a *body* (some code).
- One difference between C and higher-level languages: You aren't supposed to use a function before you tell the compiler about it, either by giving its full *definition* or by giving a *declaration* that specifies its name, parameters, and return type. The function body can be later in the same file or in some other file.

Parameter Passing in C

Slide 6

- In C, all function parameters are passed "by value" — which means that the value provided by the caller is copied to a local storage area in the called function. The called function can change its copy, but changes aren't passed back to the caller.
- An apparent exception is arrays — no copying is done, and if you pass an array to a function the function can change its contents (as we did in the sort program). Why "apparent exception"? because really what's being passed to the function is not the array but a pointer! so the copying produces a second pointer to the same actual data. (More about pointers soon.)

Functions, Local Variables, and Recursion

- Functions in C can contain local variables. Every time you call the function, you get a fresh copy of the variables.
- So yes, recursive functions work the way you (probably?) think they should.

Slide 7

Library Functions in C

- C does include a library of standard functions, though it's not as extensive as that of some languages.
- At least on UNIX-like systems, for each library function there should be a `man` page that tells you about it, including information about `#include` files you need and link-time options (e.g., `-lm` for `sqrt`). For now, be advised that asterisks in types denote pointers, which we will talk about soon.

Slide 8

Functions in C — Examples

- Examples as time permits (recursive Fibonacci function, partial array-sorting program).

Slide 9

Minute Essay

- What was interesting about Homework 2? What was difficult?

Slide 10