

CSCI 1120 (Low-Level Computing), Fall 2021

Homework 4

Credit: 20 points.

1 Reading

Be sure you have read, or at least skimmed, the assigned readings for classes through 09/15.

2 Programming Problems

Do the following programming problems. You will end up with at least one code file per problem. Submit your program source (and any other needed files) one of two ways:

- using my `mail-files` script, linked from the course Web site under “Links”.
- by putting them in your course “TurnIn” folder on Google Drive. (Note that I want plain-text files, ideally with an extension of `.c`, but if Google Drive balks at that, rename to have an extension of `.txt`. I want something I can compile as is, except for possibly a change of filename. So no screenshots!)

You can develop your programs on any system that provides the needed functionality, but I will test them on one of the department’s Linux machines, so you should probably make sure they work in that environment before turning them in.

1. (10 points) **NOTE** that this problem is meant as an opportunity to get some practice with *while* loops in C, so you will only get full credit if you use at least one.

Newton’s method for computing the square root of a non-negative number x starts with an initial guess r_0 and then repeatedly refines it using the formula

$$r_n = (r_{n-1} + (x/r_{n-1}))/2$$

Repetition continues until the absolute value of $(r_n)^2 - x$ is less than some specified threshold value. An easy if not necessarily optimal initial guess is just x . So for example the calculation starts like this for $x = 2$:

$$r_0 = 2 \tag{1}$$

$$r_1 = (r_0 + 2/r_0)/2 \tag{2}$$

$$= (2 + 2/2)/2 \tag{3}$$

$$= 1.5 \tag{4}$$

$$r_2 = (r_1 + 2/r_1)/2 \tag{5}$$

$$= (1.5 + 2/1.5)/2 \tag{6}$$

$$= 1.1417 \text{ (approximately)} \tag{7}$$

Write a C program that implements this algorithm and compares its results to those obtained with the library function `sqrt()`. Have the program prompt for x , the threshold value, and a

maximum number of iterations; do the above-described computation; and print the result, the actual number of iterations, the square root of x as computed using library function `sqrt()`, and the difference between the value you compute and the one you get from `sqrt()`. Also have the program print an error message if the input is invalid (non-numeric or negative — but note that zero is okay).

Here are some sample executions (assuming you call your program `newton` and compile with `make`)

```
[bmassing@diasw04]$ ./newton
enter values for input, threshold, maximum iterations
2 .0001 10
square root of 2:
with newton's method (threshold 0.0001):  1.41422 (3 iterations)
using library function:  1.41421
difference:  2.1239e-06
```

```
[bmassing@diasw04]$ ./newton
enter values for input, threshold, maximum iterations
2 .000001 10
square root of 2:
with newton's method (threshold 1e-06):  1.41421 (4 iterations)
using library function:  1.41421
difference:  1.59472e-12
```

Hints:

- For this problem I recommend that you resist any impulse to split up your program into several functions; I think it's simplest and clearest to just put all the needed computation in `main()`.
 - Remember that to use the library function `sqrt()` you need not only the appropriate `#include` line (as documented in its `man` page) but also the compile flag `-lm` (also documented in the `man` page). (The suggested `Makefile` includes this flag.)
 - You may find the library function `fabs()` useful.
2. (10 points) **NOTE** that this problem is meant as an opportunity to get some practice with *for* loops in C, so you will only get full credit if you use at least one.

C, like many programming languages, has a library function (`rand()`) that can be used to generate a “random” sequence of numbers (quotes because it's not truly random — more in video lecture). Many languages have a similar function that generates “random” numbers in some specified range, useful if for example you're trying to simulate rolling a 6-sided die. C doesn't have such a function, but you can get the same effect using `rand()` and a little additional code. `rand()` itself generates a number between 0 and the library-defined constant value `RAND_MAX`, so to get a value in a smaller range you have to somehow map the larger range to the smaller one. The somewhat obvious way to do this is by computing a remainder (e.g., to map to two possible values, assign even values to 0 and odd values to 1). (I'll call this the “remainder method”.) But with some implementations of `rand()` this gives results that aren't very good. The conventional wisdom is therefore to instead try to do a more-direct

map (e.g., to map to two possible values, assign values from 0 through `RAND_MAX/2` to 0 and the remaining values to 1). (I'll call this the "quotient method".)

Your mission for this problem is to complete a C program that, given a number of samples N and a number of "bins" B generates a sequence of N "random" numbers, uses both methods (remainder and quotient) to map each generated number to a number between 0 and $B-1$ inclusive, and counts for each method how many elements of the sequence fall into each bin (e.g., for each method bin 0 is how many elements of the sequence map to 0), and prints the result, as in the sample output below. (The fraction at the end is count divided by number of samples, and serves as a crude check of how even the distribution is.) To help you (I hope!) I'm providing a starter program, link below, which you should use as your starting point. Code at the bottom of the program shows how to apply both methods to something returned by `rand()`. The remainder method is straightforward; the quotient method is less so, but see the footnote¹ for an explanation. The starter code includes this formula, and I'd rather you just use it rather than figuring it out yourself — not a bad thing but not the point of this assignment.

One other thing to know about `rand()` is that by default it always starts with the same value (and produces the same sequence). To make it start with a different value, you can call `srand()` with an integer "seed", so your program should prompt for one of those too.

Sample execution (assuming you call your program `rand5` and compile with `make`):

```
seed?
5
how many samples?
1000
how many bins?
6
counts using remainder method:
(0) 154 (0.15 of total)
(1) 188 (0.19 of total)
(2) 171 (0.17 of total)
(3) 161 (0.16 of total)
(4) 155 (0.15 of total)
(5) 171 (0.17 of total)
counts using quotient method:
(0) 172 (0.17 of total)
(1) 175 (0.17 of total)
(2) 183 (0.18 of total)
```

¹ If you're curious about the admittedly cryptic formula: Suppose n is the value returned by `rand()`. We could convert it to a bin number in two steps: First, we scale it to a floating-point number in the range from 0 up to but not including 1, thus:

$$x = n / (\text{RAND_MAX} + 1)$$

(We divide by `RAND_MAX+1` so the largest possible value maps to something still slightly less than 1. Note also that in the code we have to be sure this addition is done using floating point, since otherwise it could overflow; we can do this by writing the 1 as 1.0.) Then we scale this range of floating-point values to our desired range (still in floating point) by multiplying by B , which gives from 0 up to but not including B . Finally, we convert back to an `int` with a cast, which drops the fractional part, and leaves us with an index between 0 and $B-1$ inclusive.

- (3) 150 (0.15 of total)
- (4) 168 (0.17 of total)
- (5) 152 (0.15 of total)

Here is a starter program that prompts for the seed, generates a few “random” numbers, and illustrates the two methods of mapping to a specified range: [rands.c](#).

Of course, your program should check to make sure all the inputs are positive integers. (Yes, error checking is a pain, but it’s an incentive to get better at copy-and-paste?)

Hints:

- If you find the problem description confusing (many students do, alas), maybe an example will clarify a bit:
Suppose input specifies 100 samples and 4 bins.
The program should generate a sequence of 100 “random” numbers.
For the remainder method, bin 0 will be a count of elements n of this sequence for which $n/4$ gives a remainder of 0, bin 1 will be a count of elements n of this sequence for which $n/4$ gives a remainder of 1, and so forth.
For the quotient method, bin 0 will be a count of elements n of this sequence that fall into the first 1/4 of the range 0 through `RAND_MAX`, bin 1 will be a count of elements n of this sequence that fall into the second 1/4 of the range 0 through `RAND_MAX`, and so forth.
If you still find this confusing, please ask for help! I think all the ACM tutors have done this problem and they can likely explain to you, or I’m happy to give it another try myself.

3 Essay and pledge

Include with your assignment the following information.

For programming assignments, please put it a separate file. (I strongly prefer plain text, but if you insist you can put it in a PDF — just no word-processor documents or Google Drive links please.) For written assignments, please put it in your main document.

3.1 Pledge

This should include the Honor Code pledge, or just the word “pledged”, *plus* at least one of the following about collaboration and help (as many as apply). Text *in italics* is explanatory or something for you to fill in; you don’t need to repeat it!

- I did not get outside help *aside from course materials, including starter code, readings, sample programs, the instructor.*
- I worked with *names of other students* on this assignment.
- I got help with this assignment from *source of help — ACM tutoring, another student in the course, etc. (Here, “help” means significant help, beyond a little assistance with tools or compiler errors.)*

- I got help from *outside source* — a book other than the textbook (give title and author), a Web site (give its URL), etc.. (Here too, you only need to mention significant help — you don't need to tell me that you looked up an error message on the Web, but if you found an algorithm or a code sketch, tell me about that.)
- I provided help to *names of students* on this assignment. (And here too, you only need to tell me about significant help.)

3.2 Essay

This should be a brief essay (a sentence or two is fine, though you can write as much as you like) telling me what if anything you think you learned from the assignment, and what if anything you found interesting, difficult, or otherwise noteworthy.