

Slide 1

Administrivia

- Homework 2 coming soon, probably before next class. I'll send e-mail if/when.

Slide 2

Review — Invariants and Concurrent Algorithms

- Last time we talked about notion of “invariant” being helpful in thinking about concurrent algorithms.
- Loosely speaking — “something about the program that’s always true”.
More carefully: a statement about program variables/state such that:
 - It’s true initially.
 - If it’s true before any statement of the program, it’s still true afterwards.Verify by first looking at initial state, then at everything in the program that changes variables/states mentioned in the invariant.
- Goal is to come up with an invariant that’s not too difficult to verify by looking at the code and implies the property you want — as with loop invariants as discussed in CSCI 1323 and last time.
- We’re doing this informally (not very rigorously, with some hand-waving), but it can be done much more formally and rigorously.

Mutual Exclusion, Continued

Slide 3

- Recall problem ...
- Recall description of "test and set lock" (TSL) instruction:
`TSL registerX, lockVar`
 (1) copies `lockVar` to `registerX` and (2) sets `lockVar` to non-zero, all as one atomic operation.

Proposed Solution Using TSL Instruction

Slide 4

- Shared variables:

```
int lock = 0;
```

Pseudocode for each process:

```
while (true) {
    enter_cr();
    do_cr();
    leave_cr();
    do_non_cr();
}
```

Assembly-language routines:

```
enter_cr:
    TSL regX, lock
    compare regX with 0
    if not equal
        jump to enter_cr
    return
leave_cr:
    store 0 in lock
    return
```

- Does it work?

Solution Using TSL Instruction, Continued

- Proposed invariant: “lock is 0 exactly when no processes in their critical regions, and nonzero exactly when one process in its critical region.”

- Invariant holds.

This means first requirement is met. Others met too — well, except that it might be “unfair” (some process waits forever).

Slide 5

Mutual Exclusion Solutions So Far

- Solutions so far have some problems: inefficient, dependent on whether scheduler/etc. guarantees fairness.

(It's worth noting too that for the simple ones needing no special hardware — e.g., Peterson's algorithm — whether they work on real hardware may depend on whether values “written” to memory are actually written right away or cached.)

- Also, they're very low-level, so might be hard to use for more complicated problems.
- So, people have proposed various “synchronization mechanisms” . . .

Slide 6

Semaphores

Slide 7

- History — 1965 paper by Dijkstra (possibly earlier work by Iverson).
- Idea — define semaphore ADT:
 - “Value” — non-negative integer.
 - Two operations, *both atomic*:
 - * up (V) — add one to value.
 - * down (P) — block until value is nonzero, then subtract one.
- Ignoring for now how to implement this — is it useful?

Mutual Exclusion Using Semaphores

Slide 8

- Shared variables:

```
semaphore S(1);
```

Pseudocode for each process:

```
while (true) {  
    down(S);  
    do_cr();  
    up(S);  
    do_non_cr();  
}
```

- Invariant: “S has value 1 exactly when no process in its critical region, 0 exactly when one process in its critical region, and never has values other than 0 or 1.”

Slide 9

Mutual Exclusion Using Semaphores, Continued

- Invariant again: “S has value 1 exactly when no process in its critical region, 0 exactly when one process in its critical region, and never has values other than 0 or 1.”

Obvious (?) that this means first requirement is met. Can check that others are met too.

Slide 10

Bounded Buffer Problem

- (Example of slightly more complicated synchronization needs.)
- Idea — we have a buffer of fixed size (e.g., an array), with some processes (“producers”) putting things in and others (“consumers”) taking things out.
Synchronization:
 - Only one process at a time can access buffer.
 - Producers wait if buffer is full.
 - Consumers wait if buffer is empty.
- Example of use: print spooling (producers are jobs that print, consumer is printer — actually could imagine having multiple printers/consumers).

Bounded Buffer Problem, Continued

- Shared variables:

```
buffer B(N); // initially empty, can hold N things
```

Pseudocode for producer:

```
while (true) {  
    item = generate();  
    put(item, B);  
}
```

Pseudocode for consumer:

```
while (true) {  
    item = get(B);  
    use(item);  
}
```

Slide 11

- Synchronization requirements:

1. At most one process at a time accessing buffer.
2. Never try to `get` from an empty buffer or `put` to a full one.
3. Processes only block if they "have to".

Bounded Buffer Problem, Continued

- We already know how to guarantee one-at-a-time access. Can we extend that?
- Three situations where we want a process to wait:
 - Only one `get/put` at a time.
 - If B is empty, consumers wait.
 - If B is full, producers wait.

Slide 12

Bounded Buffer Problem, Continued

Slide 13

- What about three semaphores?
 - One to guarantee one-at-a-time access.
 - One to make producers wait if B is full — so, it should be zero if B is full — “number of empty slots”?
 - One to make consumers wait if B is empty — so, it should be zero if B is empty — “number of slots in use”?

Bounded Buffer Problem — Solution

Slide 14

- Shared variables:

```
buffer B(N); // empty, capacity N
semaphore mutex(1);
semaphore empty(N);
semaphore full(0);
```

Pseudocode for producer:

```
while (true) {
    item = generate();
    down(empty);
    down(mutex);
    put(item, B);
    up(mutex);
    up(full);
}
```

Pseudocode for consumer:

```
while (true) {
    down(full);
    down(mutex);
    item = get(B);
    up(mutex);
    up(empty);
    use(item);
}
```

Minute Essay

- Alleged joke (from some random Usenet person):
A man's P should exceed his V else what's a sema for?
Do you understand this? (Remember that P is "down" and V is "up".)

Slide 15

Minute Essay Answer

- It's a pun. The idea is roughly that if you never have a situation in which you've attempted more "down" operations than "up" operations, you didn't need a semaphore. (Or that's what I think it means. The author might have another idea!)

Slide 16