




More Recursion


4/2/2009






Opening Discussion

- Do you have any questions about the assignment?
- Do you have any questions about the reading?
- What types of problems are typically easier to solve with recursion than with loops?
- HS programming competition.






- Let's work on a DrawMaze class and write some different algorithms that work with it.
- The normal recursive algorithms try all paths. In some mazes this can take a very long time. Let's look at why that is and how we might be able to fix it.






Divide and Conquer

- A standard approach to solving problems with recursion is divide and conquer. In this approach we break the problem up into two or more smaller problems, solve the smaller problems, then make an answer for the larger problem with the solutions of the smaller pieces.
- Of course, the key to the recursion is that the smaller problems are solved by breaking them up in the same way.
- You can use this approach for simple array functions, but there isn't much benefit there.
- For some problems though, divide and conquer can provide much simpler and/or efficient solutions to problems.



Formula Parsing

- One problem we can solve nicely with a divide and conquer approach is formula parsing.
- What we want to do is repeatedly find the lowest priority operator and split the string around it. We recursively call the method on the two sides.
- Numbers or variables are the terminal cases.



- The most commonly used divide and conquer algorithms are sorts. Mergesort and quicksort or both divide and conquer. They differ in how they do the division and when they do the majority of their work.
- Mergesort does virtually no work going down the call stack. It simply breaks the input array in half each time until it gets to single elements. The work happens coming back up as the two sorted pieces are merged.
- Quicksort does work on the way down. At each step a “pivot” element is picked and moved to the right spot. Recursion is done on both sides of the pivot.



- Recursion and induction are very closely linked. Describe the similarity.
- Or, if you aren't in discrete, why can the maze functions be so remarkably slow?
- Interclass Problem – Use a recursive algorithm to figure out the two possible solutions to this comic.
 - ♦ <http://xkcd.com/287/>

