

Scala Expressions and Types

1-19-2011

Opening Discussion

- Command line impressions.
 - Powerful but difficult.
 - More confusing than a GUI for copying and moving?
 - Similarities to Matlab.
 - Remembering/memorizing commands.
- What happens if someone restarts a computer you are sshed into?
- Saving terminal sessions.
- Solutions to the IcP.

Text Files/Editors

- Programs are typically written as plain text files and should be edited with a text editor.
- Notepad is a basic text editor on Windows.
- Word is NOT a text editor.
- Some text editors are better than others for programming.
- In this class we will use vi.

- The vi editor is standard on Linux which is one reason we like to use it.
- It is also good for programming.
- Has modes. Start in command mode. You type in an edit mode.
 - i – insert
 - I – insert at beginning of line
 - a – append
 - A – append at end of line
 - R – replace characters

Other Commands

- x – delete characters
- dd – delete lines
- yy – yank/copy lines
- p or P – paste before or after
- r – replace a single character
- J – join lines
- / and n – search for something and next
- cw – change a word
- . - repeat last command
- u and Crtl-r – Undo and redo

Scala Script/First Program

- Let's go into your course and use vi to write our first Scala program then run it.
- The standard first program is “Hello World.” and I don't want to break with tradition.

Scala REPL

- If you just type `scala` and don't provide a file name to run, it will drop you into the REPL (Read, Evaluate, Print Loop).
- Here you can enter individual commands and have them run.
- It is great for testing things out and getting to learn the language.

Key Terms

- Token – A set of characters that has meaning to the language.
- Statement – A set of tokens that give a complete instruction.
- Expression – Tokens put together that produce a value.
- Type – All values have types. A type is a set of values and the operations allowed on them.
- Literal – A token that represents a value.
 - Numeric, String, Character, Boolean

Statements and Semicolon Inference

- In Scala, as with most programming languages, programs are made by putting together statements.
- In Scala, any expression is a valid statement as are a few other constructs.
- Statements end with semicolons, but they will be inferred at the end of a line if they make sense so you rarely type them.

Operators

- We can build longer expressions by putting literals together with operators.
- Let's start off by playing with some of the numeric operations you are probably familiar with.
 - $+$, $-$, $*$, $/$
- You can get the remainder after division with $\%$.

Objects

- An object is defined to be information along with the things you can do with that information.
- The information in an object is called the properties.
- The actions are called methods.
- In Scala, even things like `Int` are objects and have methods on them.

Methods

- The normal way to call a method in Scala (and most other object-oriented languages) is to put a period after the object and follow it with the method name.
- The REPL will do tab completion and list methods for you.
- Let's look at the methods on some basic types and try calling them.

Arguments

- Some methods need additional information to work.
- To give this to the method we pass in arguments.
- Arguments are put in parentheses and separated by commas if there is more than one.
- The parentheses are generally optional in Scala if there is no argument.

Operator Syntax

- All the “operators” in Scala are really just methods.
- Scala allows any method with zero or one arguments to be called with an operator syntax.
- That means you leave off the dot and the parentheses.
- If a method takes no arguments you can call it without the dot.

Minute Essay

- What in today's lectures was confusing? Was there anything that surprised you?