

Slide 1

Administrivia

- Reminder: Homework 4 due next week.

Slide 2

Things Learned in Grading/Discussing Homework

- `scanf` is not perfect, but arguably is better than many alternatives.
- Correct programs should behave the same way whatever flags you give the compiler (assuming you include whatever ones are needed). But sometimes which flags you use *does* affect behavior if the program is not correct — interesting behavior of a program about which compiler warned “control reaches end of non-void function”.

Slide 3

A Very Little About “Random” Numbers

- Homework 4 asks you to work with the library functions `srand()` and `rand()`. A few words about what they do...
- First, what we mean by “random” is (I think!) an interesting question with no obvious answer. What’s often wanted is something that can’t be predicted, and it’s not clear we can get that with a system that’s deterministic. Further, even if we could, we might not want that, since we often want to be able to repeat a test.
- So, often what we really want is a “pseudo-random number generator” — something that generates a sequence of numbers that looks random but is repeatable given some reproducible starting point.
- Early researchers apparently thought more-complex algorithms would give better results, but — not necessarily. Very simple algorithms can give quite good results.

Slide 4

A Very Little About “Random” Numbers, Continued

- Lots of uses for “random” sequences (e.g., so-called “Monte Carlo” methods for simulating things), so many libraries include function(s) to produce them.
- Typical library provides some way to set the starting point (the “seed”) and then a function that when called repeatedly produces the sequence — `srand()` and `rand()` in standard C. Mostly these produce a large range of possible values. (Why is this good?)
- Some libraries also provide functions to map the full range to a smaller one (e.g., to simulate rolling a die). C doesn’t, but there are some semi-obvious approaches. The problem on Homework 4 asks you to do a simple comparison of two of them.

Pointers in C — Overview

Slide 5

- C, in contrast to Scala and Java (and Python), makes an explicit distinction between things and pointers-to-things.
- In Python and Scala variables are pointers/references to objects, and you deal with them fairly abstractly. In Java, variables are either references to objects, or primitives, but one or the other.
- In C, you can have variables that are “things” (integers, floating-point numbers, etc.) and variables that are “pointers to things” (in some ways more like variables in Python and Scala, but very low-level and with fewer safety checks).

Pointers in C — Overview Continued

Slide 6

- That is, in C, pointers can be thought of as memory addresses (indices into large one-dimensional memory space — not always strictly true but a good first approximation), though declared to point to variables (or data) of a particular type.

- Example types:

```
int * pointer_to_int;  
double * pointer_to_double;
```

Pointers in C — Operators

Slide 7

- `&` gets a pointer to something in memory. So for example you could write

```
int x;  
int * x_ptr = &x;
```

- `*` “dereferences” a pointer. So for example you could change `x` above by writing

```
*x_ptr = 10;
```

(What do you think happens if `x_ptr` hasn't been initialized?)

- You can also perform arithmetic on pointers (e.g., `++x_ptr`) — something not allowed in languages more concerned with safety.

Parameter Passing in C — Review

Slide 8

- In C, all function parameters are passed “by value” — which means that the value provided by the caller is copied to a local storage area in the called function. The called function can change its copy, but changes aren't passed back to the caller.
- An apparent exception is arrays — no copying is done, and if you pass an array to a function the function can change its contents (as you would want to do in, say, a sort function). Why “apparent exception”? because really what's being passed to the function is not the array but a pointer! so the copying produces a second pointer to the same actual data.
- This is at least simple and consistent, but has annoying limitations . . .

Pass By Reference (Sort Of)

Slide 9

- A significant potential limitation on functions is that a function can only return a single value. Pointers provide a way to get around this restriction: By passing a pointer to something, rather than the thing itself, we can in effect have a function return multiple things.
- To make this work, typically you declare the function's parameters as pointers, and pass addresses of variables rather than variables.
- (The "sort of" of the title means that this isn't true pass by reference, as it exists in some other languages such as C++, but it can be used to more or less get the same effect.)
- (Example?)

Pointers Versus Arrays

Slide 10

- In almost all contexts arrays and pointers are interchangeable.
- In particular, if you declare the type of a function parameter to be a pointer, you can pass it an array, and vice versa.

Strings in C — Overview

Slide 11

- C has a data type `char`, used for much the same purposes as characters in other language, *but* with a smaller minimum range (enough to represent 7-bit ASCII but not Unicode).
- C “strings” are null-terminated arrays of characters and can be worked with as arrays or using pointers. There are standard library functions for doing (some) things with characters and strings.
- (Examples as time permits.)

Minute Essay

Slide 12

- Any questions — about pointers, strings, anything else?