

Slide 1

Administrivia

- Reminder: Homework 6 due today.
- Reminder: Homework 7 due in two weeks (first class day after spring break).
- (Yes, I *am* making progress on grading earlier homeworks. It's just taking a while, alas.)

Slide 2

Function Pointers — Recap, Example

- Last time we talked about how to pass a function to another function in C, using “function pointers” as parameters.
- We looked at how to use a function that has such a parameter (library function `qsort`). Also seems useful to look at example of defining such a function (view code briefly).

A Little About the C Preprocessor

Slide 3

- C logically divides the process of producing an executable into distinct phases. First phase is “preprocessing”.
- Preprocessing makes use of “preprocessor directives”, which start with a #.
- Examples you’ve seen — `#include` to include information about library functions, `#define` to define constants.
- `gcc -E infile.c` to see output of preprocessor.

A Little More About the C Preprocessor

Slide 4

- Other functionality includes macros and “conditional compilation”:
- Macros can be used to do a primitive kind of generic programming (more on next slide).
- Conditional compilation often used to tailor library or other code to specific environments. Also allows writing `.h` files that can be included more than once without harm. Lots of examples in files in `/usr/include`.
- More in chapter 14, some beyond the scope of this course. Focus is on relatively simple text manipulation.

Macros in C

- Simple example (and a very typical use):

```
#define MAX(a, b) ((a) > (b) ? (a) : (b))  
int x = MAX(10, 20);
```

Another use might be a `SQUARE` macro.

Slide 5

- More-complex macros can be used to generate multiple lines of code, though this can get (in my opinion) messy and not very readable.
- If you find yourself writing the same ones repeatedly, can put them in a file (typically with extension `.h`) and use `#include` (with filename in double quotes) to include them.

A Little About `make`

- Motivation: Most programming languages allow you to compile programs in pieces ("separate compilation"). This makes sense when working on a large program — when you change something, just recompile parts that are affected.
- Idea behind `make` — have computer figure out what needs to be recompiled and issue right commands to recompile it.

Slide 6

Makefiles

Slide 7

- First step in using `make` is to set up “makefile” with “rules” describing how files that make up your program (source, object, executable, etc.) depend on each other and how to update the ones that are generated from others. Normally call this file `Makefile` or `makefile`.
Simple example on sample programs page.
- When you type `make`, `make` figures out (based on files’ timestamps) which files need to be recreated and how to recreate them.

Defining Rules

Slide 8

- Define dependencies for a rule by giving, for each “target”, list of files it depends on.
- Also give the list of commands to be used to recreate target.
NOTE!: Lines containing commands must start with a tab character. Alleged paraphrase from an article by Brian Kernighan on the origins of UNIX:
The tab in `makefile` was one of my worst decisions, but I just wanted to do something quickly. By the time I wanted to change it, twelve (12) people were already using it, and I didn’t want to disrupt so many people.

Useful Command-Line Options

- `make` without parameters makes the first “target” in the makefile.
`make foo` makes `foo`.
- `make -n` just tells you what commands would be executed — a “dry run”.
- `make -f otherfile` uses `otherfile` as the makefile.

Slide 9

“Phony” Targets

- Normally targets are files to create (e.g., executables), but they don’t have to be. So you can package up other things to do ...
- Example — many makefiles contain code to clean up, e.g.:

```
clean:  
    -rm *.o main
```

To use — `make clean`.

Slide 10

Variables in Makefiles

- You can also define variables, e.g.:
 - List of object files needed to create an executable. Then use this list to specify dependencies, command.
 - Pathname for a command, options to be used for all compiles, etc.

Slide 11

- Example:

```
objs = main.o foo.o
CFLAGS = -Wall -pedantic -std=c99
main: $(objs)
      gcc $(CFLAGS) -o main $(objs)
```

Predefined Implicit Rules

- make already knows how to “make” some things — e.g., `foo` or `foo.o` from `foo.c`.
- In applying these rules, it makes use of some variables, which you can override.

Slide 12

- A simple but useful makefile might just contain:

```
CFLAGS = -Wall -pedantic -O -std=c99
```

- Or you could use

```
CFLAGS = -Wall -pedantic -std=c99 $(OPT)
OPT = -O
```

and then optionally override the `-O` by saying, e.g., `make OPT=-g foo`.

Minute Essay

- Anything noteworthy about Homework 6?
- Have you seen make in another course or elsewhere?
- Best wishes for a good spring break!

Slide 13