Administrivia

• Homeworks 3 and 4 on Web; Homework 3 due next Wednesday.

Slide 1

Shell Programming — Review

- Input to many/most shells forms a programming language, with variables and constructs for selection and repetition.
- Can type these on the fly, or save in file as "shell script".

Arithmetic

- Most basic/portable way probably expr. Example: n='expr \$n + 1'.
- In bash, can also use double parentheses. Example: n=\$((n + 1)).
- (But if you're doing significant calculations, you should probably be using some other tool awk, bc, dc, or a program in a "real" programming language.)

Slide 3

Reading from Standard Input

• To read from shell's / script's standard input: read. Example:

```
echo "Do you really want to do this? (y/n)" read ans if [ "ans" = "y" ] ....
```

"Here" Documents

• We talked about redirecting input and output. One more option for input, useful in scripts, is to get it from the script itself — "here" document. Example:

```
#!/bin/sh
mail -s "a subject" bmassing << EOF
hello
I am here
who are you?
is this fun?
EOF</pre>
```

Slide 5

Other Useful Things

- getopt process command-line options (to help you write scripts that accept options in any order, in the same way most UNIX commands do).
- Remember pushd and popd, for temporarily changing to another directory and coming back.

Shell Script Examples

- Script to rename all .htm files to .html (or something similar). basename may be helpful.
- Script with a recursive function to compute factorial.
- ullet Other examples as time permits something else you would find useful ...?

Slide 7

Minute Essay

- Tell me something you've learned from this class so far that was useful and/or interesting.
- I plan to talk more about shell scripts later in the semester. Is there anything you want to hear more about then?