Administrivia

 About minute essays: In addition to answering whatever questions I ask, feel free to ask me, well, anything (preferably related in some way to the course or computing).

Slide 1

Minute Essay From Last Lecture

 Many people did interesting things over the summer! lots of internships. (For those of you who did an internship — please consider Dr. Lewis's request to speak briefly at the colloquium.)

What Is An Operating System? (Review)

- Definition by example:
 - Recent: Windows, Linux, UNIX, iOS, OS X (Mac), ...
 - Older: MULTICS, VMS, MVS, VM/370, ...
 - (Also special-purpose O/S's for special-purpose hardware.)
- Slide 3

 Definition(s) from operating systems textbook:
 - Something that provides "virtual machine" for application programs and users ("top down").
 - Something that manages computer's resources ("bottom up").
 - Another view key part of bridging gap between what hardware can do (not much, but very fast) and what users want.

What The Hardware Can Do

- CPU: fetch machine instruction from memory; execute; repeat.
- Disk: read data from / write data to location on disk.
- And so forth very primitive.

What The Software Must Do

- Programs students usually write in CS1, CS2:
 - Define and manipulate data structures.
 - Do arithmetic/logical calculations.
 - Read stdin / write stdout.
 - Call GUI/graphics library routines.
- The magic cloud (operating system):
 - Read from keyboard, write to screen.
 - Manage what's on screen windows, taskbar, etc.
 - Run multiple applications "at the same time".
 - Manage disk contents files, directories/folders.
 - Share the machine with other users.

Why Review History?

- To understand roots/development of current operating systems.
- As a way of getting many perspectives on "what do we want an O/S to do, and how do we make it do that?"
- Because history is intrinsically interesting? Try to imagine what using some of those early machines might have been like.
- (To allow the instructor to relive the days of his/her youth?)

Slide 5

The Early Days (1940s)

- Programming done by making physical connections on a plugboard (!).
- Better than no computer at all, but tedious and inefficient!
- Example: the ENIAC (picture via "links" page).

Slide 7

The Early Days (1940s - 1950s)

- Key improvements: stored-program concept, punch cards.
- Programming done by encoding machine language into cards.
- Program included code to start up computer, read rest of program into memory, do all input and output, etc. — no operating system.
- One program at a time, machine operated by programmer.
- Better, but still tedious and inefficient!

The Early Days (1950s)

 Key improvements: assemblers and compilers, libraries of commonly-used code, specialists to run machine (operators).

- Programming done in assembly language (or early high-level language), punched into cards.
- Separate steps to translate to machine language, execute.
- One program at a time, but machine operated by specialist.
- Less tedious, less inefficient.
- Still cumbersome for programmers, CPU idle between steps.

Batch Systems (1950s)

- Key improvement: "batch" idea automate transitions between steps (translate program, execute, translate next program, etc.).
- How to make this work? separate input by "control cards", write primitive operating system to interpret them, manage transitions.
- Less inefficient, but I/O devices slow, so CPU idle a lot still one program at a time.
- Still cumbersome for programmers punch program into cards, give to operator, wait for output.

Slide 9

Control Cards — Example

Sketch of control cards for IBM mainframe O/S to compile and run:

```
//jobname JOB acctno,name, ....
//stepname EXEC PGM=compiler_name,PARM=(options)
//STEPLIB DD DSNAME=path_for_compiler
//SYSUT1 DD UNIT=SYSDA,SPACE=(parameters)
//SYSPRINT DD SYSOUT=A
//SYSLIN DD DSNAME=object_code,UNIT=SYSDA,
// DISP=(MOD,PASS),SPACE=(parameters)
//SYSIN DD *
source code
/*
//stepname EXEC PGM=load-and-go
```

Multiprogramming Systems (1960s – ?)

- Key improvement: "multiprogramming" more than one program in memory, so when one has to wait another can run.
- How to make this work? requires much more complex operating system —
 must share memory and I/O devices among programs, switch between them,
 etc.

Slide 12

- · Efficient use of hardware.
- Still cumbersome for programmers no real changes here.
- Example: IBM mainframe and peripherals (pictures on "links" page).

Timesharing Systems (1960s – ?)

• Key improvements: "interactive" users (using text terminals), utility programs to support them (shells, text editors, etc.).

- How to make this work? like multiprogramming, but now programs sharing memory are interactive users wanting fast response.
- Efficient use of hardware.
 - Much less cumbersome for program development!
 - Example: IBM terminal (picture on "links" page).

Personal Computers (1980s - ?)

- Similar evolution of operating systems initially very simple, gradually becoming more complex/capable.
- Features from mainframes adopted as hardware permitted.
- A key difference emphasis on user convenience rather than efficient use of hardware.

Slide 14

Evolution of Operating Systems, Recap

- Increasing hardware capability.
- Increasing O/S functionality and complexity from simple program loader to complex multitasking system.

Slide 15

• Parallels between evolution of mainframe O/S and PC O/S. (Similar evolution may be happening with operating systems for "smart phones"?)

Minute Essay

- Do you have a copy of the textbook? (I hope everyone will soon.) Paper or electronic? (I'm curious!)
- What's the most primitive and/or cumbersome system you've personally used? (I mean system-as-a-whole here, not specific tools — a PC without a GUI, say, or a mainframe of some sort.)