Multithreading

9-12-2011

Opening Discussion

- Minute essay comments
 - Maps and Buffers in projects.
 - Analysis is required for this project.

Motivation

- The future is parallel.
- Core counts are growing but clock speed isn't and neither is single thread performance.
- Software developers are behind the curve on this.

Basic Approach

- You can use the java.lang.Thread class to represent a thread.
- Pass it a new Runnable that you define a run method in and call start to make it go.
- This makes it very easy to start new threads, but there are significant pitfalls when mutable memory is involved.

join

- The join method of Thread will block until that thread has finished working.
- This is something you can do when you want a computation to continue only after each of the threads has completed.
- This only works if you are completely done with those threads.

Synchronization

- Threads use shared memory and you don't get significant control over what happens when.
- Race conditions are errors that occur because of dependence on timing details.
- Bank example.
- You can synchronize on objects to make sure critical blocks aren't accessed in parallel
 - obj.synchronized { ... }
- Slow and can cause deadlock.

wait/notifyAll

- Allows synchronization between threads. A thread can wait and it won't restart until another thread notifies it.
- Put wait in while loop that checks boolean.
- Always use notifyAll instead of notify. Failure to do so leads to deadlocks.

Code

 I want to get commands working so that we can play with some of this in the drawing program.

Minute Essay

- How many cores does your computer have?
 Have you ever tried to keep them all busy?
- The next IcP is Wednesday.